Configuring your Home Phone Using TP-Link VR2100v

Preparation: Only after you have Internet access on this router, you can set up your VOIP function successfully.

When your home phone service is activated – we will send you an email with the username and password required to set up the phone service on your modem.

Logging into your modem

To access modem gateway, enter <u>http://tplinkmodem.net</u> or <u>http://192.168.1.1</u> in the address bar of a web browser. If the IP address does not work or if it has been changed, check your router's IP address. For instructions, click <u>here</u>.

Log in with the password you set for the router. The default password is **admin**.

Ptp-link		
	Password Ø	
	Log in	
	Log in with TP-Link ID	
Step 1		

Go to Advanced>Telephony/VoIP>Telephone Numbers, and click Add.

P tp-link	Quick Setup	Basic	Advan	ced	English	¥	Eog out	尜 Rebo
Q Search	Telephone N	lumbers						
C ⁴ Telephony					c	Refres	🔁 Add 🔁 D	elete All
- Telephone Numbers	Status	Telephone Number			Provider		Modify	
- Telephone Book		-			-			
- Telephony Devices	Terepho	ony Provider:	L		× 1			
- Call Log	Numbe	c	Area c	ode	Phon	e Number		
- Call Rules					Car	ncel	Save	
- DND & Call Blocking	0	075586205899			Telekom		0	

Step 2

Choose **Other** as telephony provider if SpinTel is not listed and fill in parameters required. Click **Save** to make the settings effective.

Telephone Numbers

tus Telephone Nu	imber	Provider	Modify
		-	-
Telephony Provider:	Other		
Phone Number:	(SIP user	name)	
Registrar Address:	203.23.2	36:96	
Authentication ID	(SIP user	name)	
Password:	(Provided)	in the email)	
Advanced	~~~	Ca	ncel Save
Advanced		Ca	ncel Save
Advanced		Ca	ncel Save
Advanced Advanced egistrar Port:	5060	Ca	ncel Save
Advanced Advanced egistrar Port:	5060 203:23:23	6:96)	ncel Save
Advanced Advanced egistrar Port: P Proxy: P Proxy Port:	5060 203:23:23 5060	6:96)	ncel Save
Advanced Advanced egistrar Port: P Proxy: P Proxy Port: utbound Proxy:	5060 203:23:23 5060 203:23:23	6:96	ncel Save
Advanced Advanced egistrar Port: P Proxy: P Proxy Port: utbound Proxy:	5060 203:23:23 5060 203:23:23 5060	6:96	ncel Save

Different modem manufacturers may use different titles for the below. Please

check with us if you're unsure.

- SIP Server: 203.23.236.96
- Outbound Proxy: 203.23.236.96
- **Port:** 5060
- **SIP User ID**: provided in the email
- Authentication ID: provided in the email
- Authenticate Password: provided in the email
- NAT Traversal: Keep-Alive
- Enable SIP Options Keep Alive: Yes
- **SIP Transport**: UDP, unless modem is 4G then TCP.
- **Preferred Vocoder/Codec Preference**: G711 or PCMA otherwise chose G729

Note: Other devices may ask for details such as **Authentication Number or other numbers**. Always use your **SIP Username** (provided in the email) and **NOT** your telephone number.

After saving your setup, your VoIP home phone service will then attempt to connect. Check if the phone light on your modem is ON, then test the service.

Note: Make sure to plug your home phone into the modem's phone port.

Related Articles:

- Home Phone Settings
- Device Configuration for SpinTel Phone (VoIP)
- Can't make or receive calls on your home phone?

Online URL: <u>https://articles.spintel.net.au/article/configuring-your-home-phone-using-tp-link-vr2100v.html</u>