Configuring Huawei Modem for SpinTel NBN

How do you know if your Huawei modem is compatible with nbn?

There are 2 different types of ports you need to check whether your modem is compatible with the type of nbn service that you have on your premise.

1. DSL port - often grey in colour, uses RJ11 cable. This is the same as the old telephone cable you would use to plug your home phone into the wall socket.



2. WAN port - Also known as the internet port that uses RJ-45 Ethernet cable to connect your Huawei modem to the nbn connection device.



Some modems have both of these ports, and some only have one. To identify which port is required for

your nbn type of service, check the table below.

NBN type	Modem connection type	Authentication
Fibre to the Premise	Router/WAN connection	IPOE/Dynamic/DHC
Fixed Wireless	Router/WAN connection	IPOE/Dynamic/DHC
Hybrid Fibre Coaxial	Router/WAN connection	IPOE/Dynamic/DHC
Fibre to the Curb	Router/WAN connection	IPOE/Dynamic/DHC
Fibre to the Node	VDSL Modem required	IPOE/Dynamic/DHC
Fibre to the Basement	VDSL Modem required	IPOE/Dynamic/DHC

How Do You Set up Your Huawei Modem?

- 1. If there is **no NBN Connection Box** installed, connect the DSL port on the back of your Huawei modem to your phone wall socket using a phone cable.
- 2. If **there is an NBN Connection Box** installed, connect to the WAN/Internet port on the back of your modem to your NBN Connection Box.
- 3. Connect any of the LAN ports on the back of your modem to your PC (optional)
- 4. Plug the NBN connection box, if there's any, to the power socket.
- 5. Connect the power port on the back of your modem to your power socket.

How Do You Log Into Your Huawei Modem?

To access the modem interface, please make sure your device is connected to your Huawei modem through a wired or wireless connection.

From your browser, type in http://192.168.178.1 in the address bar and hit Enter.

If the IP address does not work, please check the label attached to the back of the modem/router. Else,

check your router's IP address. For instructions, click here.

20g in with the account you set for the modem router, otherwise check the default username and password on the sticker of your modem.

How Do You Configure Your Huawei Modem?

Once logged in, click Setup Wizard

Belect Connect Automatically

Blit Next

4hen personalise WiFi Credentials and click Save to apply changes.



If Connect Automatically Fails;

Click Setup Wizard

Belect Connect with no user Account /IPoE

Blit Next

4hen personalise WiFi Credentials and click Save to apply changes.

•	Sel	elect your Internet connection mode:		
	0	Connect automatically		
		Device will try to access the Internet automatically.		
		Connect with user account		
	•	Connect with no user account		
_		No user account is required for IPoE connections.		
	0	Connect with another modem		
	Bridge mode is best used in homes that have a modem already, or those that use a computer dial up connection to access the Internet.			
		Cancel	Next	

If Setup Wizard still fails, you may proceed manually to set up the internet through the Internet tab.

Go to the **Home** Page

2lick the **Internet** tab

Elick Internet Settings

€lick **Edit**

Ensure the following settings are changed:

Enable Connection: **Ticked**

2ervice Type: **Internet**

Connection Type: Connect with no user Account/ IPoE/ Automatic IP/ Dynamic IP/ DHCP


Hit Save

To make sure the modem is configured according to its nbn service type, please check the following:

1. If you are connecting through **FTTN/FTTB** service, click **Edit** under **VDSL** access type.

Eor FTTC, FTTP, HFC or Fixed Wireless service, click Edit under Ethernet access type.

Elick Save to apply any changes made to the settings.



Wait **3-5 minutes** for the modem to go online, then test the service.

Online URL:

https://articles.spintel.net.au/article/configuring-huawei-modem-for-spintel-nbn.html