Configuring Technicolor Modem for SpinTel NBN

How do you know if your Technicolor modem is compatible with nbn?

There are 2 different types of ports you need to check whether your modem is compatible with the type of nbn service that you have on your premise.

1. DSL port - often grey in colour, uses RJ11 cable. This is the same as the old telephone cable you would use to plug your home phone into the wall socket.



2. WAN port - Also known as the internet port that uses RJ-45 Ethernet cable to connect your Technicolor modem to the nbn connection device.



Some modems have both of these ports, and some only have one. To identify which port is required for your nbn type of service, check the table below.

IBN type Modem connection type		Authentication
Fibre to the Premise	Router/WAN connection	IPOE/Dynamic/DHCI
Fixed Wireless	Router/WAN connection	IPOE/Dynamic/DHCI
Hybrid Fibre Coaxial	Router/WAN connection	IPOE/Dynamic/DHCI
Fibre to the Curb	Router/WAN connection	IPOE/Dynamic/DHCI
Fibre to the Node	VDSL Modem required	IPOE/Dynamic/DHCI
Fibre to the Basement	VDSL Modem required	IPOE/Dynamic/DHCI

How Do You Set up Your Technicolor Modem?

- 1. If there is **no NBN Connection Box** installed, connect the DSL port on the back of your Technicolor modem to your phone wall socket using a phone cable.
- 2. If **there is an NBN Connection Box** installed, connect to the WAN/Internet port on the back of your modem to your NBN Connection Box.
- 3. Connect any of the LAN ports on the back of your modem to your PC (optional)
- 4. Plug the NBN connection box, if there's any, to the power socket
- 5. Connect the power port on the back of your modem to your power socket.
- 6. Ensure the modem is not locked to a specific provider. If it is, contact your provider to unlock it or use an unlocked modem.
- 7. Perform a factory reset on the modem if needed. Reconnect your devices using the default login credentials, which are typically found on the modem label.
- 8. Open a web browser and enter the modem's default IP address to

configure the modem for IPoE set-up.

How Do Log Into Your Technicolor Modem?

To access the modem interface, please make sure your device is connected to your Technicolor modem through a wired or wireless connection.

1. Enter **192.168.0.1** in the address bar of a web browser.

If the IP address does not work, please check the label attached to the back of the modem/router. Else, check your router's IP address. For instructions, click here.

2. Enter **admin** for both the username and password and click Login. If you have changed the login credentials, please enter the current username and password for your modem interface.

How Do You Configure Your Technicolor Modem?

- 1. From the navigation panel, click the Broadband tab
- 2. Disable PPP and make sure the Connection Settings Type is set to IPoE
- 3. Click **Apply** to update the settings.

Home Broad	dband (Ref)	Content Sharing	Parental Control	Services	User Settings	Advanced
Broadband					(Ø) Inte	ernet: Connected
Connection Info	rmation		Connection	Settings		
Status	IPv4 enabled IPv6 enabled		Туре	IPoE		
Uptime	00h39m12s		PPP Setting	s		
Data Transferred	1,23 MB (Sent) 4,92 MB (Received)		PPP Enable		Off	
IPv4 Address						
Primary DNS			-			
Secondary DNS						
IPv6 Address	·					
					Cancel	Apply

Wait **3-5 minutes** for the modem to go online, then test the service.

Alternatively, you can configure the internet through the Advanced tab

Co to the Advanced tab
Select Internet Settings
Colick Basic
Choose IPoE/ Dynamic/ Automatic / DHCP on Connection Type
Dick Apply to update the settings

nternet Settings		Internet: Connected
Basic 3G/LTE Backup		
IPv4 IPv6		
Connection type	DHCP	
Addressing Type	DHCP -	
IP	and the second sec	
Mask	255.255.192.0	
Gateway	10 million (10 million)	
DNS 1	and the second sec	
DNS 2	an and a second s	

Wait **3-5 minutes** for the modem to go online, then test the service. If your modem has any existing profiles configured, make sure to delete them to avoid double authentication or connection issues. You can usually find these profiles in your modem's settings under sections like 'Internet Settings,' 'WAN Setup,' or 'PPP Connections.

Setting up your Home Phone

If your order includes a Home Phone service, it's time to get it up and running. This detailed <u>guide</u> will walk you through every step needed to set up your home phone using your own modem.

Online URL: <u>https://articles.spintel.net.au/article/configuring-technicolor-modem-for-spintel-nbn.html</u>