


How to Change the Modem Login Password on a Nokia FastMile 5G Modem

1. Connect your device to the modem. You can use Wi-Fi or one of the 3 LAN ports on the bottom of your modem.



Nokia 5G Gateway

SSID

NOKIA-
105DDCE10D07

WiFi Key

XXXXXXXXXXXX

Username

XXXXXXXXXX

Password

XXXXXXXXXX



Model 5G-24W-A.

Input: 12VDC=5A. Assembled in China. IC:21694-5G24WA.

MAC:XX:XX:XX:XX:XX:XX P/N: 3TG00076AAAC SN: MMXXXXXXXXXX

IMEI: XXXXXXXXXXXXXXXX MRev:XX MFG Year:XX Wk:XX

2. Open a web browser and enter <https://192.168.1.254> into the address bar.
3. Log in using the default username and the unique default password found on your modem's barcode sticker.

Nokia 5G Gateway

SSID

NOKIA-

10BDB0E10B07

WiFi Key

XXXXXXXXXX

Username

XXXXXXXXXX

Password

XXXXXXXXXX




Model 5G-24W-A.

Input: 12VDC=5A. Assembled in China. IC:21694-5G24WA.


MAC:XX:XX:XX:XX:XX:XX P/N: 3TG00076AAAC SN: MMXXXXXXXXXX

IMEI: XXXXXXXXXXXXXXXX MRev:XX MFG Year:XX Wk:XX



The image shows a dark-themed login page. At the top, the word "Login" is displayed in a large, white, sans-serif font. Below it, the text "Enter username and password" is written in a smaller, lighter font. There are two input fields: "Username" and "Password", both with white outlines and no text inside. Below the input fields is a rounded rectangular button with the text "LOG IN" in white capital letters.

4. Access the "Maintenance" section from the modem's menu.



The image shows a modem's web interface with a dark theme. At the top, there is a horizontal menu with several tabs: "Overview", "Status", "Network", "Maintenance", "Application", and "Security". The "Maintenance" tab is highlighted with a red rectangular border. Below the menu, on the left side, there is a vertical list of options: "Password", "Device Management", "FastMile Radio Management", "APN Management", "Reboot Device", "Factory Default", and "Diagnostics". The "Password" option is selected. The main content area is titled "Password" and contains four input fields: "Original Password", "New Password", "Re-enter Password", and "Prompt Message". The "Original Password", "New Password", and "Re-enter Password" fields are filled with dots, indicating they are password fields. The "Prompt Message" field contains the text "Testing example". At the bottom of the form, there is a "SAVE" button and a circular refresh icon. The "SAVE" button is highlighted with a red rectangular border.

5. On the "Password" page, do the following:

- Enter your current password in the "Original Password" field.

- Set a new password: Type your new password into both the "New Password" and "Re-enter Password" fields. Ensure the passwords match.
- Set a Prompt Message (Optional): You can configure a custom message that will be displayed on the login screen. This message can serve as a hint, such as a question only you would know the answer to. However, make sure it doesn't reveal enough information for someone to guess your password.

6. Click "Save" to apply your new settings.

From now on, you'll need to use your newly created password whenever you log in at <http://192.168.1.254>. It's recommended that you securely note down your new password for future reference.

Online URL:

<https://articles.spintel.net.au/article/how-to-change-the-modem-login-password-on-a-nokia-fastmile-5g-modem.html>